

Name: \_\_\_\_\_ Hall Ticket No. 

						A			
--	--	--	--	--	--	---	--	--	--

Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.

**I Choose the correct alternative:**

1. Average no. of customers in the system is. [      ]  
 a)  $\frac{\lambda}{\mu(\mu-\lambda)}$       b)  $\frac{1}{\mu(\mu-\lambda)}$       c)  $\frac{1}{\mu-\lambda}$       d)  $\frac{\lambda}{\mu-\lambda}$
2. The traffic intensity of a queue is [      ]  
 a)  $\frac{\lambda}{\mu}$       b)  $\frac{\mu}{\lambda}$       c)  $\lambda - \mu$       d)  $\lambda + \mu$
3. At a box office window customer arrive at a rate of 30 per hour. The time required to serve a customer is 90 seconds. Then the expected waiting time in the queue is \_\_\_\_\_ mins [      ]  
 a) 3.5      b) 4.5      c) 5.5      d) 6.5
4. If we can assert with 95 % that the maximum error is 1.2 and the standard deviation of population is 10, then the sample size is \_\_\_\_\_ [      ]  
 a) 265      b) 266      c) 267      d) 268
5. Type – I error is \_\_\_\_\_ [      ]  
 a) Accept  $H_0$ , if  $H_0$  is true      b) Accept  $H_0$ , if  $H_0$  is false  
 c) Reject  $H_0$ , if  $H_0$  is true      d) Reject  $H_0$ , if  $H_0$  is false
6. The critical value for one-tail test at 5 % level of significance is \_\_\_\_ [      ]  
 a) 2.33      b) 1.96      c) 1.645      d) 1.28
7. A random sample of 400 products contains 52 defective items. Then standard error of the proportion is [      ]  
 a) 0.168      b) 0.0168      c) 1.016      d) 0.0016
8. If  $S = 0.044$ ,  $n = 10$  and  $t_{\alpha/2} = 2.26$ , Then the maximum error is \_\_\_\_ [      ]  
 a) 0.021      b) 0.031      c) 0.041      d) 0.051
9. If the sizes of two samples are 16 and 13 and  $\sigma_1^2 = 625$  and  $\sigma_2^2 = 1024$ . Then  $F =$  [      ]  
 a) 1.66      b) 1.74      c) 2.1      d) 4.23
10. Probability that there are more than (or) equal to 10 customers in the system, if arrival rate is 3 per hour, service rate is 5 per hour is [      ]  
 a)  $\left(\frac{3}{5}\right)^{11}$       b)  $\left(\frac{3}{5}\right)^9$       c)  $\left(\frac{3}{5}\right)^{10}$       d)  $1 - \frac{3}{5}$

**II Fill in the blanks**

11. Bayesian interval for  $\mu$  is given by \_\_\_\_\_
12. In a sample of 500 people in AP 300 are rice eaters. The maximum error with 99 % confidence is \_\_\_\_\_
13. The test statistic for difference of means of two large two different samples taken from normal populations is \_\_\_\_\_
14. The unbiased estimator of a population mean  $\mu$  is \_\_\_\_\_
15. The confidence interval for mean of large random sample is \_\_\_\_\_
16. Expected waiting time of customer in a system is \_\_\_\_\_
17. Suppose the inter arrival time is 15 minutes and inter service time is 10 minutes. Then the traffic intensity is \_\_\_\_\_
18. The shape of t – distribution is similar to that of \_\_\_\_\_ distribution
19. When confidence  $(1-\alpha)$ , maximum error 'E' and population standard deviation ( $\sigma$ ) is known then the sample size  $n$  is given by \_\_\_\_\_
20. If the customer leaves the counter due to some reason, then it is \_\_\_\_\_

Name: \_\_\_\_\_ Hall Ticket No. 

						A			
--	--	--	--	--	--	---	--	--	--

**Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.****I Choose the correct alternative:**

1. If we can assert with 95 % that the maximum error is 1.2 and the standard deviation of population is 10, then the sample size is \_\_\_\_\_ [      ]  
 a) 265                      b) 266                      c) 267                      d) 268
2. Type – I error is \_\_\_\_\_ [      ]  
 a) Accept  $H_0$ , if  $H_0$  is true                      b) Accept  $H_0$ , if  $H_0$  is false  
 c) Reject  $H_0$ , if  $H_0$  is true                      d) Reject  $H_0$ , if  $H_0$  is false
3. The critical value for one-tail test at 5 % level of significance is \_\_\_\_\_ [      ]  
 a) 2.33                      b) 1.96                      c) 1.645                      d) 1.28
4. A random sample of 400 products contains 52 defective items. Then standard error of the proportion is \_\_\_\_\_ [      ]  
 a) 0.168                      b) 0.0168                      c) 1.016                      d) 0.0016
5. If  $S = 0.044$ ,  $n = 10$  and  $t_{\alpha/2} = 2.26$ , Then the maximum error is \_\_\_\_\_ [      ]  
 a) 0.021                      b) 0.031                      c) 0.041                      d) 0.051
6. If the sizes of two samples are 16 and 13 and  $\sigma_1^2 = 625$  and  $\sigma_2^2 = 1024$ . Then  $F =$  \_\_\_\_\_ [      ]  
 a) 1.66                      b) 1.74                      c) 2.1                      d) 4.23
7. Probability that there are more than (or) equal to 10 customers in the system, if arrival rate is 3 per hour, service rate is 5 per hour is \_\_\_\_\_ [      ]  
 a)  $\left(\frac{3}{5}\right)^{11}$                       b)  $\left(\frac{3}{5}\right)^9$                       c)  $\left(\frac{3}{5}\right)^{10}$                       d)  $1 - \frac{3}{5}$
8. Average no. of customers in the system is. \_\_\_\_\_ [      ]  
 a)  $\frac{\lambda}{\mu(\mu-\lambda)}$                       b)  $\frac{1}{\mu(\mu-\lambda)}$                       c)  $\frac{1}{\mu-\lambda}$                       d)  $\frac{\lambda}{\mu-\lambda}$
9. The traffic intensity of a queue is \_\_\_\_\_ [      ]  
 a)  $\frac{\lambda}{\mu}$                       b)  $\frac{\mu}{\lambda}$                       c)  $\lambda - \mu$                       d)  $\lambda + \mu$
10. At a box office window customer arrive at a rate of 30 per hour. The time required to serve a customer is 90 seconds. Then the expected waiting time in the queue is \_\_\_\_\_ mins [      ]  
 a) 3.5                      b) 4.5                      c) 5.5                      d) 6.5

**II Fill in the blanks**

11. The unbiased estimator of a population mean  $\mu$  is \_\_\_\_\_
12. The confidence interval for mean of large random sample is \_\_\_\_\_
13. Expected waiting time of customer in a system is \_\_\_\_\_
14. Suppose the inter arrival time is 15 minutes and inter service time is 10 minutes. Then the traffic intensity is \_\_\_\_\_
15. The shape of t – distribution is similar to that of \_\_\_\_\_ distribution
16. When confidence  $(1-\alpha)$ , maximum error 'E' and population standard deviation ( $\sigma$ ) is known then the sample size  $n$  is given by \_\_\_\_\_
17. If the customer leaves the counter due to some reason, then it is \_\_\_\_\_
18. Bayesian interval for  $\mu$  is given by \_\_\_\_\_
19. In a sample of 500 people in AP 300 are rice eaters. The maximum error with 99 % confidence is \_\_\_\_\_
20. The test statistic for difference of means of two large two different samples taken from normal populations is \_\_\_\_\_

Name: \_\_\_\_\_ Hall Ticket No. 

						A			
--	--	--	--	--	--	---	--	--	--

**Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.****I Choose the correct alternative:**

1. The critical value for one-tail test at 5 % level of significance is \_\_\_\_ [      ]  
a) 2.33                      b) 1.96                      c) 1.645                      d) 1.28
2. A random sample of 400 products contains 52 defective items. Then standard error of the proportion is [      ]  
a) 0.168                      b) 0.0168                      c) 1.016                      d) 0.0016
3. If  $S = 0.044$ ,  $n = 10$  and  $t_{\alpha/2} = 2.26$ , Then the maximum error is \_\_\_\_ [      ]  
a) 0.021                      b) 0.031                      c) 0.041                      d) 0.051
4. If the sizes of two samples are 16 and 13 and  $\sigma_1^2 = 625$  and  $\sigma_2^2 = 1024$ . Then  $F =$  [      ]  
a) 1.66                      b) 1.74                      c) 2.1                      d) 4.23
5. Probability that there are more than (or) equal to 10 customers in the system, if arrival rate is 3 per hour, service rate is 5 per hour is [      ]  
a)  $\left(\frac{3}{5}\right)^{11}$                       b)  $\left(\frac{3}{5}\right)^9$                       c)  $\left(\frac{3}{5}\right)^{10}$                       d)  $1 - \frac{3}{5}$
6. Average no. of customers in the system is. [      ]  
a)  $\frac{\lambda}{\mu(\mu-\lambda)}$                       b)  $\frac{1}{\mu(\mu-\lambda)}$                       c)  $\frac{1}{\mu-\lambda}$                       d)  $\frac{\lambda}{\mu-\lambda}$
7. The traffic intensity of a queue is [      ]  
a)  $\frac{\lambda}{\mu}$                       b)  $\frac{\mu}{\lambda}$                       c)  $\lambda - \mu$                       d)  $\lambda + \mu$
8. At a box office window customer arrive at a rate of 30 per hour. The time required to serve a customer is 90 seconds. Then the expected waiting time in the queue is \_\_\_\_ mins [      ]  
a) 3.5                      b) 4.5                      c) 5.5                      d) 6.5
9. If we can assert with 95 % that the maximum error is 1.2 and the standard deviation of population is 10, then the sample size is \_\_\_\_ [      ]  
a) 265                      b) 266                      c) 267                      d) 268
10. Type – I error is \_\_\_\_ [      ]  
a) Accept  $H_0$ , if  $H_0$  is true                      b) Accept  $H_0$ , if  $H_0$  is false  
c) Reject  $H_0$ , if  $H_0$  is true                      d) Reject  $H_0$ , if  $H_0$  is false

**II Fill in the blanks**

11. Expected waiting time of customer in a system is \_\_\_\_\_
12. Suppose the inter arrival time is 15 minutes and inter service time is 10 minutes. Then the traffic intensity is \_\_\_\_\_
13. The shape of t – distribution is similar to that of \_\_\_\_\_ distribution
14. When confidence  $(1-\alpha)$ , maximum error 'E' and population standard deviation  $(\sigma)$  is known then the sample size  $n$  is given by \_\_\_\_\_
15. If the customer leaves the counter due to some reason, then it is \_\_\_\_\_
16. Bayesian interval for  $\mu$  is given by \_\_\_\_\_
17. In a sample of 500 people in AP 300 are rice eaters. The maximum error with 99 % confidence is \_\_\_\_\_
18. The test statistic for difference of means of two large two different samples taken from normal populations is \_\_\_\_\_
19. The unbiased estimator of a population mean  $\mu$  is \_\_\_\_\_
20. The confidence interval for mean of large random sample is \_\_\_\_\_

Name: \_\_\_\_\_ Hall Ticket No. 

						A			
--	--	--	--	--	--	---	--	--	--

**Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.****I Choose the correct alternative:**

1. If  $S = 0.044$ ,  $n = 10$  and  $t_{\alpha/2} = 2.26$ , Then the maximum error is \_\_\_\_ [      ]  
 a) 0.021                      b) 0.031                      c) 0.041                      d) 0.051
2. If the sizes of two samples are 16 and 13 and  $\sigma_1^2 = 625$  and  $\sigma_2^2 = 1024$ . Then  $F =$  [      ]  
 a) 1.66                      b) 1.74                      c) 2.1                      d) 4.23
3. Probability that there are more than (or) equal to 10 customers in the system, if arrival rate is 3 per hour, service rate is 5 per hour is [      ]  
 a)  $\left(\frac{3}{5}\right)^{11}$                       b)  $\left(\frac{3}{5}\right)^9$                       c)  $\left(\frac{3}{5}\right)^{10}$                       d)  $1 - \frac{3}{5}$
4. Average no. of customers in the system is. [      ]  
 a)  $\frac{\lambda}{\mu(\mu-\lambda)}$                       b)  $\frac{1}{\mu(\mu-\lambda)}$                       c)  $\frac{1}{\mu-\lambda}$                       d)  $\frac{\lambda}{\mu-\lambda}$
5. The traffic intensity of a queue is [      ]  
 a)  $\frac{\lambda}{\mu}$                       b)  $\frac{\mu}{\lambda}$                       c)  $\lambda - \mu$                       d)  $\lambda + \mu$
6. At a box office window customer arrive at a rate of 30 per hour. The time required to serve a customer is 90 seconds. Then the expected waiting time in the queue is \_\_\_\_ mins [      ]  
 a) 3.5                      b) 4.5                      c) 5.5                      d) 6.5
7. If we can assert with 95 % that the maximum error is 1.2 and the standard deviation of population is 10, then the sample size is \_\_\_\_ [      ]  
 a) 265                      b) 266                      c) 267                      d) 268
8. Type – I error is \_\_\_\_ [      ]  
 a) Accept  $H_0$ , if  $H_0$  is true                      b) Accept  $H_0$ , if  $H_0$  is false  
 c) Reject  $H_0$ , if  $H_0$  is true                      d) Reject  $H_0$ , if  $H_0$  is false
9. The critical value for one-tail test at 5 % level of significance is \_\_\_\_ [      ]  
 a) 2.33                      b) 1.96                      c) 1.645                      d) 1.28
10. A random sample of 400 products contains 52 defective items. Then standard error of the proportion is [      ]  
 a) 0.168                      b) 0.0168                      c) 1.016                      d) 0.0016

**II Fill in the blanks**

11. The shape of  $t$  – distribution is similar to that of \_\_\_\_\_ distribution
12. When confidence  $(1-\alpha)$ , maximum error 'E' and population standard deviation  $(\sigma)$  is known then the sample size  $n$  is given by \_\_\_\_\_
13. If the customer leaves the counter due to some reason, then it is \_\_\_\_\_
14. Bayesian interval for  $\mu$  is given by \_\_\_\_\_
15. In a sample of 500 people in AP 300 are rice eaters. The maximum error with 99 % confidence is \_\_\_\_\_
16. The test statistic for difference of means of two large two different samples taken from normal populations is \_\_\_\_\_
17. The unbiased estimator of a population mean  $\mu$  is \_\_\_\_\_
18. The confidence interval for mean of large random sample is \_\_\_\_\_
19. Expected waiting time of customer in a system is \_\_\_\_\_
20. Suppose the inter arrival time is 15 minutes and inter service time is 10 minutes. Then the traffic intensity is \_\_\_\_\_